

Package ‘ForImp’

January 4, 2012

Type Package

Title Imputation of missing values through a forward imputation algorithm

Version 1.0-1

Date 2012-04-01

Author Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

Maintainer Alessandro Barbiero<alessandro.barbiero@unimi.it>

Description Imputation of missing values in datasets of ordinal variables through a forward imputation algorithm

License GPL

LazyLoad yes

Depends homals, sampling

Suggests mvtnorm

R topics documented:

ForImp-package	2
ForImp	2
ld	4
meanimp	5
medianimp	6
missingmat	7
missingmat2	8
missingness	9
modeimp	10
rancatmat	11
transfmatcat	12
vcosw	13
Index	14

ForImp-package

Forward Imputation

Description

The package contains a function for the imputation of missing values in matrices of ordinal data, called Forward Imputation, and other functions for generating ordinal data or imputing missing values.

Details

Package:	ForImp
Type:	Package
Version:	1.0-1
Date:	2012-04-01
License:	GPL
LazyLoad:	yes

Author(s)

Alessandro Barbiero<alessandro.barbiero@unimi.it>,
 Giancarlo Manzi<giancarlo.manzi@unimi.it>,
 Pier Alda Ferrari<pieralda.ferrari@unimi.it>
 Maintainer: Alessandro Barbiero<alessandro.barbiero@unimi.it>

References

Ferrari P.A., Annoni P., Barbiero A., Manzi G. (2011) An imputation method for categorical variables with application to nonlinear principal component analysis, *Computational Statistics & Data Analysis*, vol. 55, issue 7, pages 2410-2420

<http://ideas.repec.org/a/eee/csdana/v55y2011i7p2410-2420.html>

<http://www.sciencedirect.com/science/article/pii/S0167947311000521>

Ferrari P.A., Barbiero A., Manzi G.: Handling missing data in presence of ordinal variables: a new imputation procedure. In "New Perspectives in Statistical Modeling and Data Analysis", S. Ingrassia, R. Rocci, M. Vichi, Eds., Springer, 2011

Little, R.J.A., Rubin, D.B., 2002. *Statistical Analysis with Missing Data*, 2nd ed. John Wiley & Sons, Inc.

ForImp

Forward Imputation procedure

Description

Forward Imputation of missing data

Usage

```
ForImp(mat, p=2)
```

Arguments

mat	a matrix/dataframe
p	the parameter for computing the Minkowski distance used in the nearest neighbor procedure for missing value imputation. p can be any positive number (p=2 gives the euclidean distance); if a negative number or Inf is entered, the procedure will use the maximum distance (or supremum norm)

Details

The function implements the Forward Imputation algorithm (see reference) on a matrix of ordinal data with missing values. The algorithm alternates NonLinear Principal Component Analysis (NLPCA) on a subset of the data with no missing data and sequential imputations of missing values by the nearest neighbor method. This sequential process starts from the units with the lowest number of missing values and ends with the units with the highest number of missing values.

Value

the imputed matrix

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

References

Ferrari P.A., Annoni P., Barbiero A., Manzi G. (2011) An imputation method for categorical variables with application to nonlinear principal component analysis, *Computational Statistics & Data Analysis*, vol. 55, issue 7, pages 2410-2420

<http://ideas.repec.org/a/eee/csdana/v55y2011i7p2410-2420.html>

<http://www.sciencedirect.com/science/article/pii/S0167947311000521>

Ferrari P.A., Barbiero A., Manzi G.: Handling missing data in presence of ordinal variables: a new imputation procedure. In "New Perspectives in Statistical Modeling and Data Analysis", S. Ingrassia, R. Rocci, M. Vichi, Eds., Springer, 2011

See Also

[modeimp](#), [medianimp](#), [meanimp](#)

Examples

```
library(mvtnorm)
set.seed(1)
# correlation matrix
sigma<-matrix(c(1,0.5,0.5,0.5,0.5,1,0.5,0.5,0.5,0.5,1,0.5,0.5,0.5,0.5,1),4,4)
# generate a 500*4 matrix from a multivariate normal
matc<-rmvnorm(n=500, mean=rep(0,4), sigma=sigma)
# transform the numerical values into ordinal categories (Likert scale)
# obtaining matrix mato
mato<-transfmatcat(matc,4)
```

```
# set the number of desired missing values
nummissing<-100
# create the random missing values, obtaining matrix mat
mat<-missingmat(mato, nummissing, pattern="r")
# use function \code{ForImp} to impute missing values, obtaining matrix mati
mati<-ForImp(mat)
# number of correct imputations
nummissing-sum(mati!=mato)
```

ld

*Listwise deletion***Description**

Listwise deletion

Usage

```
ld(mat)
```

Arguments

mat a matrix or a dataframe

Details

This function implements the listwise deletion on a given dataset, removing all the rows or units containing at least one missing value

Value

The matrix/dataframe in input with the rows/units with missing values removed

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

[meanimp](#), [modeimp](#), [medianimp](#)

Examples

```
n<-10
m<-4
mat<-matrix(rnorm(n*m), n, m)
mat[c(3, 6), 1]<-NA
mat[10, 2]<-NA
mat
ld(mat)
```

meanimp*Mean imputation*

Description

Mean imputation

Usage

```
meanimp(mat)
```

Arguments

mat A numerical matrix

Details

The function implements the unconditional mean imputation on a numerical matrix with missing values, substituting to each missing value the arithmetic mean of the corresponding variable

Value

the imputed matrix

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

[modeimp](#), [medianimp](#)

Examples

```
set.seed(1)
n<-10
m<-3
mat<-matrix(rnorm(n*m),n,m)
matm<-mat
matm[1,1]<-NA
matm[2,2:3]<-NA
# matrix with missing values
matm
# imputed matrix
meanimp(mat)
# original matrix with no missing values
mat
```

`medianimp`*Median imputation*

Description

Median imputation

Usage

```
medianimp(mat)
```

Arguments

`mat` A matrix of ordinal values , ordered according to the Likert scale (1, 2, 3,...)

Details

The function implements the median imputation on a matrix of ordinal data with missing values. The function substitutes to each missing value the median of the corresponding variable.

Value

The imputed matrix

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

[modeimp](#), [meanimp](#)

Examples

```
set.seed(1)
n<-10
m<-3
mat<-matrix(ceiling(runif(n*m)*4),n,m)
matm<-mat
matm[1,3]<-NA
matm[9:10,1]<-NA
# matrix with missing values
matm
# imputed matrix
medianimp(matm)
# original matrix with no missing values
mat
```

missingmat*Random generation of missing values*

Description

Random generation of missing values in matrices of numerical data or preferably categorical data coded as integers

Usage

```
missingmat(mat, nummissing, pattern = "r", nk = 1, p = 0.1, w = 3)
```

Arguments

mat	A matrix of numerical values
nummissing	number of missing values
pattern	pattern of missing values ("r" random, "l" lowest value, "b" block, "n" not at random)
nk	category
p	percentage of missing values
w	weight for the lowest category in pps sampling (pattern "n")

Details

The function generates random missing values on a matrix of categorical data according to a specific pattern. "r" is the random pattern, "l" generates a percentage p of missing values on the lowest values of variable nk , "b" generates random blocks of missing values on the group of variables indexed by nk , "n" generates a kind of not at random missing values: specifically, lowest values are more likely to be missing, since they are assigned a weight w (greater than 1, the default is 3) and the values are sampled according to an unequal probability sampling design (pivotal, see the reference for more details)

Value

The original matrix with the desired number of values randomly substituted by missing values

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

References

Ferrari P.A., Annoni P., Barbiero A., Manzi G. (2011) An imputation method for categorical variables with application to nonlinear principal component analysis, *Computational Statistics & Data Analysis*, vol. 55, issue 7, pages 2410-2420, <http://www.sciencedirect.com/science/article/pii/S0167947311000521>

Examples

```
library(mvtnorm)
set.seed(1)
# correlation matrix
sigma<-matrix(c(1,0.5,0.5,0.5,0.5,1,0.5,0.5,0.5,0.5,1,0.5,0.5,0.5,0.5,1),4,4)
# generate a n*m matrix from a multivariate normal
n<-500
m<-4
matc<-rmvnorm(n, mean=rep(0,m), sigma=sigma)
# transform the numerical values into ordinal categories (Likert scale)
# obtaining matrix mato
mato<-transfmatcat(matc,c(2,3,4,5))
# set the number of desired missing values
nummissing<-150
# create the random missing values
# random missing values
matc<-missingmat(mato, nummissing, pattern= "r")
matc
# random blocks of missing values on variables 1,2 and 3
matc<-missingmat(mato, nummissing, pattern= "b", nk=c(2,3))
matc
# missing values on lowest category of variable 4
matl<-missingmat(mato, nummissing, pattern= "l", nk=4, p=0.1)
matl
# not at random missing values on variable 4
matn<-missingmat(mato, nummissing, pattern= "n", nk=4, w=4)
matn
```

missingmat2

Random generation of missing values

Description

Random generation of missing values in matrices

Usage

```
missingmat2(mat, missing)
```

Arguments

mat	a matrix (n rows, m columns)
missing	a vector: element i contains the desired number of rows with i missing values (1<=i<=m)

Value

a matrix with the specified pattern of missing values

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

`missingmat`, `missingness`

Examples

```
mat<-matrix(rnorm(500),100,5)
# if you want 20 rows with 1 missing, 10 rows with 2 missing, 4 rows with 3 missing, 1 row with 4 missing
missing<-c(20,10,4,1)
matm<-missingmat2(mat, missing)
matm
# check that the function works
missingness(matm)
```

missingness	<i>Missing values</i>
-------------	-----------------------

Description

Summary for the missing values in a matrix

Usage

```
missingness(mat)
```

Arguments

`mat` a matrix/dataframe with missing values

Details

The function provides a summary for the missing values in a matrix (units for variables)

Value

```
number_of_missing_values
    Total number of missing values in the matrix
missing_values_per_unit
    Number of units with a certain number of missing values
missing_values_per_variable
    Number of missing values for each variable
```

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

Examples

```
n<-100
m<-3
mat<-matrix(rnorm(n*m),n,m)
nummissing<-50
index<-sample(n*m,nummissing,replace=FALSE)
mat[index]<-NA
missingness(mat)
```

`modeimp`*Mode imputation*

Description

Mode imputation

Usage

```
modeimp(mat)
```

Arguments

`mat` A matrix of categorical or ordinal values, coded as integer values (1, 2, 3, ...)

Details

The function implements the mode imputation on a matrix of categorical or ordinal data with missing values. The function substitutes to each missing value the mode of the corresponding variable.

Value

The imputed matrix

Author(s)

Alessandro barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

[medianimp](#), [modeimp](#)

Examples

```
set.seed(1)
n<-10
m<-3
mat<-matrix(ceiling(runif(n*m)*4),n,m)
matm<-mat
matm[1,3]<-NA
matm[9:10,1]<-NA
# matrix with missing values
matm
# imputed matrix
modeimp(mat)
# original matrix with no missing values
mat
```

rancatmat*Generating a random matrix of ordinal variables*

Description

The function generates a random matrix of integer (ordinal) variables, with independent and uniform marginal distributions

Usage

```
rancatmat(n, m, cat = 3)
```

Arguments

n	number of rows/units
m	number of columns, variables
cat	number of categories for each variable

Details

The function generates a random matrix of integer (ordinal) variables (coded with 1, 2, 3...), with independent and uniform marginal distributions

Value

a matrix of ordinal values

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Perialda Ferrari

See Also

[transfmatcat](#)

Examples

```
n<-500
m<-3
mat<-rancatmat(n,m,c(3,4,5))
# let's check the marginal distributions...
apply(mat,2,tabulate)
#... should be "quite" uniform
```

transfmatcat	<i>Transforming a matrix of continuous values into a matrix of ordinal values</i>
--------------	---

Description

The function transforms a matrix of continuous numerical values into a matrix of integer (ordinal) values, with uniform marginal distributions and the desired number of categories

Usage

```
transfmatcat(mat, cat = 3)
```

Arguments

mat	a matrix or a dataframe
cat	the number of categories, one for each column/variable of the matrix/dataframe

Details

The function converts the matrix in input, containing continuous numerical values, into a matrix of ordinal values (1,2,3,... i.e.: Likert scale) according to the `cat-1` normal quantiles corresponding to each variable (column) of `mat`.

Value

the matrix of ordinal values

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

References

Ferrari P.A., Barbiero A., Manzi G.: Handling missing data in presence of ordinal variables: a new imputation procedure. In "New Perspectives in Statistical Modeling and Data Analysis", S. Ingrassia, R. Rocci, M. Vichi, Eds., Springer, 2011

Ferrari P.A., Annoni P., Barbiero A., Manzi G. (2011) An imputation method for categorical variables with application to nonlinear principal component analysis, Computational Statistics & Data Analysis, vol. 55, issue 7, pages 2410-2420, <http://www.sciencedirect.com/science/article/pii/S0167947311000521>

See Also

[rancatmat](#)

Examples

```
# generate a 40*3 matrix from a multivariate normal r.v.
# whose independent components have mean 10 and standard deviation 4
mat<-matrix(rnorm(40,3),10,4)
# transform the matrix of normal data into a matrix of ordinal data
transfmatcat(mat, cat=c(2,3,4,3))
```

vcosw

*Cosine of the angle between two vectors***Description**

The function calculates the cosine of the angle between two vectors, defined as the inner product of the vectors divided by the product of their euclidean norms

Usage

```
vcosw(v, w)
```

Arguments

v	a vector
w	a vector, of the same length of v

Value

The cosine of the angle between the two vectors

Author(s)

Alessandro Barbiero, Giancarlo Manzi, Pier Alda Ferrari

See Also

Ferrari P.A., Annoni P., Barbiero A., Manzi G. (2011) An imputation method for categorical variables with application to nonlinear principal component analysis, *Computational Statistics & Data Analysis*, vol. 55, issue 7, pages 2410-2420, <http://www.sciencedirect.com/science/article/pii/S0167947311000521>

Examples

```
a<-1:10
b<-2:11
vcosw(a,b)
#
e<-c(1,2,3)
f<-c(3,-3,1)
vcosw(e,f)
# e and f are orthogonal vectors!
```

Index

*Topic **datagen**

- ForImp, [2](#)
- ld, [4](#)
- meanimp, [5](#)
- medianimp, [6](#)
- missingmat, [7](#)
- missingmat2, [8](#)
- missingness, [9](#)
- modeimp, [10](#)
- rancatmat, [11](#)
- transfmatcat, [12](#)
- vcosw, [13](#)

*Topic **multivariate**

- ForImp, [2](#)
- ld, [4](#)
- meanimp, [5](#)
- medianimp, [6](#)
- missingmat, [7](#)
- missingmat2, [8](#)
- missingness, [9](#)
- modeimp, [10](#)
- rancatmat, [11](#)
- transfmatcat, [12](#)
- vcosw, [13](#)

*Topic **package**

- ForImp-package, [2](#)

ForImp, [2](#)

ForImp-package, [2](#)

ld, [4](#)

meanimp, [3](#), [4](#), [5](#), [6](#)

medianimp, [3-5](#), [6](#), [10](#)

missingmat, [7](#), [9](#)

missingmat2, [8](#)

missingness, [9](#), [9](#)

modeimp, [3-6](#), [10](#), [10](#)

rancatmat, [11](#), [12](#)

transfmatcat, [11](#), [12](#)

vcosw, [13](#)